



ROYAL CONTA

FENDT

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

2,2 MWM D 208-3 31 kW
(42 HP) FARMER 2 S

2,6 MWM D 225-3 35 kW
(48 HP) FARMER 103
FARMER 103 S 411005 (full set)
w/o CHG

3,0 MWM D 208-4 35-40 kW
(48-54 HP) FARMER 3 S
FARMER 4 S



ROYAL CONTA

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferior
carter inferior
guarnizioni coppa

411010 (x3)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x3)
6.226.0.853.025.4



238020 (x6)
1 227 2783



238020 (x6)
1 227 2783



411010 (x3)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x3)
6.226.0.853.025.4



238020 (x6)
1 227 2783



238020 (x6)
1 227 2783

411050
1 227 0875



411010 (x4)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x4)
6.226.0.853.025.4



238020 (x8)
1 227 2783



238020 (x8)
1 227 2783

238050
1 227 0876



OE names and references are just for correspondance and does not constitute any liability or warantee.

OE names and references are just for correspondance and does not constitute any liability or warantee.



ROYAL CONTA

FENDT

Ltr.



kW – HP



3,0 MWM D 208-4

40 kW
(54 HP)

FAVORIT 3

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inférieur
carter inferior
guarnizioni coppa

3,1 MWM D 226-3

40-43 kW
(54-58 HP)

FARMER 104 S
FARMER 105

OE names and references are just for correspondance and does not constitute any liability or warantee.

411010 (x4)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x4)
6.226.0.853.025.4



238020 (x8)
1 227 2783



238020 (x8)
1 227 2783



238050
1 227 0876



238015 (x3)
6.226.0.854.008.4
106,5 Ø
0,80mm
238010 (x3)
6.226.0.854.084.4
106,5 Ø
1,20mm



238040 (x3)
6.226.0.853.025.4



238020 (x6)
1 227 2783



238020 (x6)
1 227 2783

411050
1 227 0875



OE names and references are just for correspondance and does not constitute any liability or warantee.



ROYAL CONTA

FENDT

Ltr.



kW – HP



3,1 MWM D 226-
3,2 40-43 kW
(54-58 HP) FARMER 104 S
FARMER 105

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferior
carter inferior
guarnizioni coppa

297010 (x3)
6.228.0.854.024.4
106,5 Ø
1,50mm
297012 (x3)
6.228.0.854.002.4
106,5 Ø
1,20mm



411010 (x4)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x3)
6.226.0.853.025.4



238020 (x6)
1 227 2783



238020 (x6)
1 227 2783



411050
1 227 0875



3,4 MWM D 225-4 48 kW
(65 HP) FARMER 5S

OE names and references are just for correspondence and does not constitute any liability or warranty.

OE names and references are just for correspondence and does not constitute any liability or warranty.



ROYAL CONTA

FENDT

Ltr.



kW – HP



3,4 MWM D 225-4

48 kW
(65 HP)

FARMER S

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferior
carter inferior
guarnizioni coppa

411010 (x4)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x4)
6.226.0.853.025.4



238020 (x8)
1 227 2783



238020 (x8)
1 227 2783



238050
1 227 0876



3,8 MWM D 227-4.2

46 kW
(63 HP)

FARMER 105 S

296010 (x4)
6.227.0.854.104.4
110 Ø
1,40mm



238040 (x4)
6.226.0.853.025.4



238020 (x8)
1 227 2783



238020 (x8)
1 227 2783



238050
1 227 0876



OE names and references are just for correspondance and does not constitute any liability or warantee.

OE names and references are just for correspondance and does not constitute any liability or warantee.



ROYAL CONTA

FENDT

Ltr.



kW – HP



4,2	MWM D 226-4	44-55 kW (60-75 HP)	FARMER 106 S FARMER 108 S	238005 (full set) w/o CHG
-----	-------------	------------------------	------------------------------	------------------------------



4,2	MWM D 226-4.2	44-57 kW (60-78 HP)	FARMER 105 S FARMER 106 S FARMER 108 S FARMER 306 LS FARMER 308 LS	238005 (full set) w/o CHG
-----	---------------	------------------------	--	------------------------------



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata


Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferior
carter inferior
guarnizioni coppa

238015 (x4)
6.226.0.854.008.4
110 Ø
0,80mm
238010 (x4)
6.226.0.854.084.4
110 Ø
1,20mm



297010 (x4)
6.228.0.854.024.4
110 Ø
1,50mm
297012 (x4)
6.228.0.854.002.4
110 Ø
1,20mm



OE names and references are just for correspondance and does not constitute any liability or warantee.

OE names and references are just for correspondance and does not constitute any liability or warantee.



ROYAL CONTA

FENDT

Ltr.



kW – HP



4,2 MWM D 226-4.2

63 kW
(86 HP)

FARMER 309 LS

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferior
carter inferior
guarnizioni coppa

4,5 MWM D 208-6

59 kW
(80 HP)

FAVORIT 4

297010 (x4)
6.228.0.854.024.4
110 Ø
1,50mm
297012 (x4)
6.228.0.854.002.4
110 Ø
1,20mm



411010 (x6)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x6)
6.226.0.853.025.4

238020 (x8)
1 227 2783

238020 (x8)
1 227 2783

238050
1 227 0876



OE names and references are just for correspondence and does not constitute any liability or warranty.

OE names and references are just for correspondence and does not constitute any liability or warranty.



ROYAL CONTA

FENDT

Ltr.



kW – HP



5,1 MWM D 225-6

66 kW
(90 HP)

FAVORIT 10 S
FAVORIT 11 S
FAVORIT 4 S

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inférieur
carter inferior
guarnizioni coppa

5,7 MWM D 227-6.2

63-70 kW
(86-95 HP)

FAVORIT 600 LS
FAVORIT 610 LS

411010 (x6)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x6)
6.226.0.853.025.4




238020 (x12)
1 227 2783



238020 (x12)
1 227 2783



296010 (x6)
6.227.0.854.104.4
110 Ø
1,40mm



238040 (x6)
6.226.0.853.025.4



238020 (x12)
1 227 2783



238020 (x12)
1 227 2783



OE names and references are just for correspondence and does not constitute any liability or warantee.

OE names and references are just for correspondence and does not constitute any liability or warantee.



ROYAL CONTA

FENDT

Ltr. kW – HP

6,2	MWM D 226-6	88 kW (120 HP)	FAVORIT 12 S FAVORIT 610 S/LS FAVORIT 611 S/LS FAVORIT 612 S/LS
-----	-------------	-------------------	--

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata


Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inférieur
carter inferior
guarnizioni coppa

238015 (x6)
6.226.0.854.008.4
110 Ø
0,80mm
238010 (x6)
6.226.0.854.084.4
110 Ø
1,20mm



238040 (x6)
6.226.0.853.025.4



238020 (x12)
1 227 2783



238020 (x12)
1 227 2783



297010 (x6)
6.228.0.854.024.4
110 Ø
1,50mm
297012 (x6)
6.228.0.854.002.4
110 Ø
1,20mm



238040 (x6)
6.226.0.853.025.4



238020 (x12)
1 227 2783



238020 (x12)
1 227 2783



OE names and references are just for correspondance and does not constitute any liability or warantee.

OE names and references are just for correspondance and does not constitute any liability or warantee.



ROYAL CONTA

FENDT

Ltr.



kW – HP



6,2 MWM TD 226-6.2

121 kW
(165 HP)

FAVORIT 614 LS
FAVORIT 615 LS

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admission
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inférieur
carter inferior
guarnizioni coppa

297010 (x6)
6.228.0.854.024.4
110 Ø
1,50mm
297012 (x6)
6.228.0.854.002.4
110 Ø
1,20mm

238040 (x6)
6.226.0.853.025.4

