

MWM

Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

Ltr.



kW – HP





1,5

D 208-2

23 kW
(31 HP)

2 Cyl.

1,7

D 225-2

13-24 kW
(18-33 HP)

2 Cyl.

1,9

D 227-2.2

25-27 kW
(34-37 HP)

2 Cyl.

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata


Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admisión
aspirazione


Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferieur
carter inferior
guarnizioni coppa

411010 (x2)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x2)
6.226.0.853.25.4




238020 (x4)
1 227 2783




238020 (x4)
1 227 2783



411010 (x2)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x2)
6.226.0.853.25.4




238020 (x4)
1 227 2783




238020 (x4)
1 227 2783



296010 (x2)
6.227.0.854.104.4
110 Ø
1,40mm



238040 (x2)
6.226.0.853.25.4



238020 (x4)
1 227 2783



238020 (x4)
1 227 2783



MWM

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

2,1 D 226-2 27-30 kW
(37-41 HP) 2 Cyl.

2,1 D 226-2.2 32 kW
(44 HP) 2 Cyl.

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata


Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admisión
aspirazione


Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferieur
carter inferior
guarnizioni coppa

238015 (x2)
6.226.0.854.008.4
106,5 Ø
0,80mm
238010 (x2)
6.226.0.854.084.4
106,5 Ø
1,20mm



238040 (x2)
6.226.0.853.25.4




238020 (x4)
1 227 2783




238020 (x4)
1 227 2783



297010 (x2)
6.228.0.854.024.4
106,5 Ø
1,50mm
297012 (x2)
6.228.0.854.002.4
106,5 Ø
1,20mm



238040 (x2)
6.226.0.853.25.4



238020 (x4)
1 227 2783



238020 (x4)
1 227 2783



MWM

Ltr.



kW – HP



Takım Conta

Gasket set

dichtungssatz

pochette de joints

juego de juntas

serie guarnizioni

2,2

D 208-3

34 kW
(46 HP)

3 Cyl.

411005 (full set)
w/o CHG



2,6

D 225-3

37 kW
(50 HP)

3 Cyl.

411005 (full set)
w/o CHG



2,8

D 227-3.2

43-45 kW
(58-61 HP)

3 Cyl.

Silindir Kapak

Cylinder head

zylinderkopf

culasse

culata

testata

Supap Kapak

valve cover,

zyl-kopfhaube

couvre-culbuteur

tapa valvulas

punterie

Emme Manifold

Intake

ansaug

admission

admisión

aspirazione

Egzoz Manifold

Exhaust/exhaust pipe

auspuff/Auspuffrohr,

échapp./tuyau d'échapp

escape/tubo de escape

scarico/tubo scappamento

Karter

Oil pan

ölwanne

carter inferieur

carter inferior

guarnizioni coppa

411010 (x3)

6.206.0.854.001.4

103,4 Ø

1,30mm

238040 (x3)

6.226.0.853.25.4

238020 (x6)



1 227 2783

238020 (x6)

1 227 2783

411050

1 227 0875



411010 (x3)

6.206.0.854.001.4

103,4 Ø

1,30mm

238040 (x3)

6.226.0.853.25.4

238020 (x6)



1 227 2783

238020 (x6)

1 227 2783

411050

1 227 0875



296010 (x3)

6.227.0.854.104.4

110 Ø

1,40mm

238040 (x3)

6.226.0.853.25.4

238020 (x6)



1 227 2783

238020 (x6)

1 227 2783

411050

1 227 0875



MWM

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

3,0	D 208-4	45 kW (61 HP)	4 Cyl.
-----	---------	------------------	--------

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata



Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admisión
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento



Karter
Oil pan
ölwanne
carter inférieur
carter inferior
guarnizioni coppa

411010 (x4) 6.206.0.854.001.4 103,4 Ø 1,30mm	238040 (x4) 6.226.0.853.25.4	238020 (x8) 1 227 2783	238020 (x8) 1 227 2783	238050 1 227 0876
--	--	----------------------------------	----------------------------------	-----------------------------



3,1	D 226-3	40-44 kW (55-60 HP)	3 Cyl.
-----	---------	------------------------	--------

238015 (x3) 6.226.0.854.008.4 106,5 Ø 0,80mm 238010 (x3) 6.226.0.854.084.4 106,5 Ø 1,20mm	238040 (x3) 6.226.0.853.25.4	238020 (x6) 1 227 2783	238020 (x6) 1 227 2783	411050 1 227 0875
--	--	----------------------------------	----------------------------------	-----------------------------



MWM

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

3,1

D 226-3.2

33-55 kW
(45-75 HP)

3 Cyl.

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admisión
aspirazione


Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inférieur
carter inferior
guarnizioni coppa

297010 (x3)
6.228.0.854.024.4
106,5 Ø
1,50mm

297012 (x3)
6.228.0.854.002.4
106,5 Ø
1,20mm

238040 (x3)
6.226.0.853.25.4




238020 (x6)
1 227 2783



238020 (x6)
1 227 2783



411050
1 227 0875




3,4

D 225-4


50 kW
(68 HP)

4 Cyl.

411010 (x4)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x4)
6.226.0.853.25.4



238020 (x8)
1 227 2783



238020 (x8)
1 227 2783



238050
1 227 0876



MWM

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

3,8 D 227-4.2 46 kW
(63 HP) 4 Cyl.

4,2 D 226-4 55-64 kW
(75-87 HP) 4 Cyl.

238005 (full set)
w/o CHG



Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata


Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admisión
aspirazione


Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferieur
carter inferior
guarnizioni coppa

296010 (x4)
6.227.0.854.104.4
110 Ø
1,40mm



238040 (x4)
6.226.0.853.25.4



238020 (x8)
1 227 2783




238020 (x8)
1 227 2783




238050
1 227 0876



238015 (x4)
6.226.0.854.008.4
106,5 Ø
0,80mm
238010 (x4)
6.226.0.854.084.4
106,5 Ø
1,20mm



238040 (x4)
6.226.0.853.25.4



238020 (x8)
1 227 2783



238020 (x8)
1 227 2783



238050
1 227 0876



MWM

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

4,2

D 226-4.2

52-74 kW
(70-100 HP)

4 Cyl.

238005 (full set)
w/o CHG



4,5

D 208-6

68 kW
(92 HP)

6 Cyl.

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admisión
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferieur
carter inferior
guarnizioni coppa



297010 (x4)
6.228.0.854.024.4
106,5 Ø
1,50mm
297012 (x4)
6.228.0.854.002.4
106,5 Ø
1,20mm

238040 (x4)
6.226.0.853.25.4

238020 (x8)
1 227 2783

238020 (x8)
1 227 2783

238050
1 227 0876





411010 (x6)
6.206.0.854.001.4
103,4 Ø
1,30mm

238040 (x6)
6.226.0.853.25.4

238020 (x12)
1 227 2783

238020 (x12)
1 227 2783



MWM

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

5,1D 225-675 kW
(102 HP)6 Cyl.

5,7D 227-6.263-70 kW
(86-95 HP)6 Cyl.

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata


Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie

Emme Manifold
Intake
ansaug
admission
admisión
aspirazione


Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferieur
carter inferior
guarnizioni coppa

411010 (x6)
6.206.0.854.001.4
103,4 Ø
1,30mm



238040 (x6)
6.226.0.853.25.4




238020 (x12)
1 227 2783




238020 (x12)
1 227 2783



296010 (x6)
6.227.0.854.104.4
110 Ø
1,40mm



238040 (x6)
6.226.0.853.25.4



238020 (x12)
1 227 2783



238020 (x12)
1 227 2783



MWM

Ltr.



kW – HP



Takım Conta
Gasket set
dichtungssatz
pochette de joints
juego de juntas
serie guarnizioni

6,2 D 226-6 74-96 kW
(101-131 HP) 6 Cyl.

6,2 D 226-6.2 77-88 kW
(105-120 HP) 6 Cyl.

Silindir Kapak
Cylinder head
zylinderkopf
culasse
culata
testata

Supap Kapak
valve cover,
zyl-kopfhaube
couvre-culbuteur
tapa valvulas
punterie


Emme Manifold
Intake
ansaug
admission
admisión
aspirazione

Egzoz Manifold
Exhaust/exhaust pipe
auspuff/Auspuffrohr,
échapp./tuyau d'échapp
escape/tubo de escape
scarico/tubo scappamento

Karter
Oil pan
ölwanne
carter inferieur
carter inferior
guarnizioni coppa

238015 (x6)
6.226.0.854.008.4
106,5 Ø
0,80mm
238010 (x6)
6.226.0.854.084.4
106,5 Ø
1,20mm


238040 (x6)
6.226.0.853.25.4



238020 (x12)
1 227 2783




238020 (x12)
1 227 2783



297010 (x6)
6.228.0.854.024.4
106,5 Ø
1,50mm
297012 (x6)
6.228.0.854.002.4
106,5 Ø
1,20mm

238040 (x6)
6.226.0.853.25.4



238020 (x12)
1 227 2783



238020 (x12)
1 227 2783

